


BAGGAGE CART ZW-30-D2270





AKS Baggage Carts are designed for reliable, safe and efficient baggage transportation in demanding airport environments. Built with a robust welded steel frame with hot-dip galvanized finish for long-term corrosion protection, or a two-layer C4-B paint class, making them suitable for operation in harsh climatic and coastal environments.

Engineered to withstand intensive daily ground handling operations while minimizing maintenance requirements and maximizing service life.

The carts are available in both open and covered (rooftop) configurations and can be customized to meet specific customer requirements, including dimensions, payload capacity, flooring type, side barriers, wheel options, coupling systems, and corporate branding.

The chassis is designed to provide excellent towing stability and maneuverability, ensuring smooth operation behind baggage tractors at typical airport operating speeds. Heavy-duty axles, durable suspension-free construction, and high-quality wheels contribute to reliable performance under continuous use. The loading platform is available with marine plywood or aluminium tread plate flooring.

All AKS Baggage Carts are manufactured in accordance with applicable standards (Machinery Directive 2006/42 EC, EN 1915-1:2023, EN 12312-11) supplied with CE certification, and backed by a 24-month warranty, ensuring dependable performance throughout their operational lifetime.

Technical Specification:

- Load surface dimensions: 990 mm × 2,270 mm
- Overall dimensions: 2650 × 1072 × 1384 mm
- Loading height: 530 mm
- Maximum payload capacity: 800 kg
- Unladen weight: 360 kg
- Maximum speed: 25 km/h
- Pneumatic tyres (filled with foam) size: 4.00–8
- Drop-down side panels made of galvanized steel profiles
- Tarpaulin with hooks, mounted to the front wall frame
- Parking brakes activated when the tow bar is raised
- Load platform made of 21 mm waterproof plywood



- Hot-dip galvanized corrosion-resistant frame
- Tow bar equipped with a damping spring and lower bumper
- Automatic rear coupling
- CE certificate

Additional Features:

- custom tarpaulin color
- Chalk board
- Document pouch
- custom wheel color
- Corner bumpers on front and rear panel
- Yellow painted towbar
- Red painted tow-eye
- Stickers (2x 25km/h + “no touch” rear coupling graphic)